



LARGE SYNOPTIC SURVEY TELESCOPE

Large Synoptic Survey Telescope (LSST)  
Data Management

# LDM-503-07 (Camera Data Processing) Test Plan and Report

John Swinbank

DMTR-112

Latest Revision: 2018-12-13

**DRAFT**

## Abstract

This is the test plan and report for LDM-503-07 (Camera Data Processing), an LSST level 2 milestone pertaining to the Data Management component provided by the Data Management Subsystem.

## Change Record

Version	Date	Description	Owner name
	2018-11-26	First Draft	Swinbank, Comoretto

*Document curator:* John Swinbank

*Document source location:* <https://github.com/lstt-dm/DMTR-112>

*Version from source repository:* 129ba91

Draft

## Contents

<b>1 Introduction</b>	<b>1</b>
1.1 Objectives . . . . .	1
1.2 Scope . . . . .	1
1.3 System Overview . . . . .	2
1.4 Applicable Documents . . . . .	2
1.5 Document Overview . . . . .	2
1.6 References . . . . .	3
<b>2 Test Configuration</b>	<b>3</b>
2.1 Data Collection . . . . .	3
2.2 Verification Environment . . . . .	3
<b>3 Personnel</b>	<b>4</b>
<b>4 Overview of the Test Results</b>	<b>5</b>
4.1 Summary . . . . .	5
4.2 Overall Assessment . . . . .	5
4.3 Recommended Improvements . . . . .	5
<b>5 Detailed Test Results</b>	<b>6</b>
5.1 Test Cycle LW-C19 . . . . .	6
5.1.1 Software Version/Baseline . . . . .	6
5.1.2 Configuration . . . . .	6
5.1.3 Test Cases in LW-C19 Test Cycle . . . . .	6

# LDM-503-07 (Camera Data Processing) Test Plan and Report

## 1 Introduction

### 1.1 Objectives

This test plan demonstrates that the LSST Science Pipelines can successfully be used to load and perform basic processing on data from the LSST Camera test systems.

In particular, it will demonstrate that:

- Data from the Camera test systems has been made available at the LSST Data Facility;
- Data from the Camera test systems can be accessed using the “Data Butler” I/O abstraction, and loaded into the LSST Science Platform Notebook Aspect for processing and inspection;
- Basic LSST Science Pipelines Tasks can be used to process and manipulate Camera data;
- Camera data can be sent to the Firefly visualization tool for display.

Verification that the data processing is “correct” falls outside the scope of this test plan: both Camera data and DM code is evolving rapidly, and this exercise will not demonstrate that particular thresholds in terms of data processing fidelity have been reached. Rather, the focus here is on demonstrating successful integration and interface compatibility.

### 1.2 Scope

The overall strategy for testing and verification with LSST Data Management is described in LDM-503.

Success in this test plan is intended to demonstrate completion of the milestone LDM-503-07 “Camera Data Processing”.

### 1.3 System Overview

This test plan addresses primarily the integration between early data coming from the LSST Camera and the data access facilities provided by the LSST Data Management system.

In the process, it will exercise:

- The “Data Butler” I/O abstraction provided by Data Management;
- The Notebook Aspect of the LSST Science Platform;
- Algorithmic code provided by the LSST Science Pipelines;
- The Firefly image display tool provided by the Science User Interface and Tools group.

### 1.4 Applicable Documents

LDM-503 Data Management Test Plan  
LDM-151 Data Management Science Pipelines Design  
LDM-152 Data Management Middleware Design  
LDM-542 Science Platform Design

### 1.5 Document Overview

This document was generated from Jira, obtaining the relevant information from the LVV-P16 Jira Test Plan and related Test Cycles ( LVV-C19 ).

Section 1 provides an overview of the test campaign, the system under test (Data Management), the applicable documentation, and explains how this document is organized. Section 2 describes the configuration used for this test. Section 3 lists all the individuals involved and describes their roles.

Section 4 provides a summary of the test results, including an overview in Table 1, an overall assessment statement and suggestions for possible improvements. Section 5 provides detailed results for each step in each test case.

The current status of test plan LVV-P16 in Jira is Approved.

## 1.6 References

- [1] **[LDM-542]**, Dubois-Felsmann, G., Lim, K.T., Wu, X., et al., 2017, *LSST Science Platform Design*, LDM-542, URL <https://ls.st/LDM-542>
- [2] **[LDM-152]**, Lim, K.T., Dubois-Felsmann, G., Johnson, M., Jurić, M., Petravick, D., 2017, *Data Management Middleware Design*, LDM-152, URL <https://ls.st/LDM-152>
- [3] **[LDM-503]**, O'Mullane, W., Swinbank, J., Jurić, M., Economou, F., 2018, *Data Management Test Plan*, LDM-503, URL <https://ls.st/LDM-503>
- [4] **[LDM-151]**, Swinbank, J.D., et al., 2017, *Data Management Science Pipelines Design*, LDM-151, URL <https://ls.st/LDM-151>

## 2 Test Configuration

### 2.1 Data Collection

Observing is not required for this test campaign.

### 2.2 Verification Environment

Tests of the Data Butler, the Science Pipelines and the Firefly image display tool will take place within the Notebook Aspect of the LSST Science Platform, as deployed at <https://lsst-1spdev.nsa.illinois.edu/nb> and documented at <https://nb.lsst.io>. This provides a flexible and configurable environment with access to large-capacity filesystems at the LSST Data Facility.

Individual tests will be based on specific machine images provided within the Notebook Aspect, as documented in the relevant test cases.

### 3 Personnel

The following personnel are involved in this test activity:

- Test Plan (LVV-P16) owner: John Swinbank
- Test Cycles:
  - LVV-C19 owner: Undefined
    - \* Test case LVV-T374 tester: John Swinbank
    - \* Test case LVV-T368 tester: John Swinbank
- Additional Test Personnel involved: None

Draft

## 4 Overview of the Test Results

### 4.1 Summary

---

Test Cycle <b>LVV-C19: LDM-503-07: Camera Data Processing</b>		
test case	status	comment
LVV-T368	Pass	
LVV-T374	Pass	

---

Table 1: Test Results Summary

### 4.2 Overall Assessment

The test campaign has been successfully concluded.

All steps in the accompanying test scripts have been completed successfully. One minor typo was discovered in LVV-T368, but since it was a flaw in the test script rather than the system being tested, it is not regarded as germane to the success of this test campaign.

### 4.3 Recommended Improvements

The typo in LVV-T368 step 2 (a missing "~/" ) should be resolved.



## 5 Detailed Test Results

### 5.1 Test Cycle LVV-C19

Open test cycle *LDM-503-07: Camera Data Processing* in Jira.

LDM-503-07: Camera Data Processing

Status: Done

This test cycle defines tests to be performed in late 2018 to demonstrate the current state of integration between the Data Management System and current Camera test datasets.

#### 5.1.1 Software Version/Baseline

This test will be carried out on whatever versions of the LSST Science Platform Notebook Aspect and Portal Aspect are installed on `lsst-lspdev.ncsa.illinois.edu` at the time of testing. No particular version requirements are specified on those tools.

Pipelines tests will be based on the weekly `w_2018_45` version of the codebase.

#### 5.1.2 Configuration

No specific configuration is required beyond the availability of the GPFS filesystem at the LSST Data Facility and access to the Notebook and Portal Aspects of the Science Platform as described above.

#### 5.1.3 Test Cases in LVV-C19 Test Cycle

##### 5.1.3.1 Test Case LVV-T368

Open *LVV-T368* test case in Jira.

This test will check:

- That Camera test data is available for processing in the LSST Data Facility, and accessible through the LSST Science Platform;

- That the Data Management I/O abstraction (the “Data Butler”) can load that data into the Science Platform environment;
- That Data Management algorithmic “tasks” can be executed to process that data;
- That results can be displayed in the Firefly display tool.

**Preconditions:**

Appropriate data — to include a “raw” and a “bias” exposure — from the Camera test systems must be available in a Butler data repository on a filesystem accessible to the Notebook Aspect of the Science Platform.

For the purposes of the following discussion, we assume that:

- Visit 258334666 from RTM (Raft Tower Module) 007 will be used;
- The data is available in a repository at /project/bootcamp/repo\_RTM-007/ on the Data Facility GPFS filesystem

In the test script, we refer to “258334666” as “\$VISIT\_ID” and “/project/bootcamp/repo\_RTM-007/” as “\$REPOSITORY\_PATH”; other data may be substituted as appropriate.

Execution status: **Pass**

Final comment:

Detailed step results:

Step	Description, Results and Status	
1	Description	Connect to the Notebook Aspect of the Science Platform following the instructions at <a href="https://nb.lsst.io/">https://nb.lsst.io/</a> . Log in, and “spawn” a new machine with image “Weekly 2018_45” and size “small”.
	Expected Result	The JupyterLab environment appears.

---

Actual Result

- The test was carried out at the University of Washington, which has a Data Facility firewall exemption, so instructions at <https://nb.lsst.io/getting-started/logging-in.html> describing installing, configuring and connecting with a VPN client were skipped.
- The “Weekly 2018\_45” image was not listed — only the two most recent weeklies are called out explicitly. However, “w201845” was chosen as a close analog.
- The JupyterLab environment appeared as expected.

---

Status Pass

2 Description Create a terminal session. Use it to set up the LSST tools, then download and build version 5c12b06e6 of obs\_lsst:

```
$ source /opt/lst/software/stack/loadLSST.bash
$ setup lsst_distrib
$ git clone https://github.com/lst/obs_lsst.git
$ cd obs_lsst
$ git checkout 5c12b06e6
$ setup -k -r .
$ scons
```

Arrange for obs\_lsst to automatically be added to the environment when starting a new notebook:

```
$ echo "setup -j -r ~/obs_lsst" >> notebooks/.user_setups
```

Exit the terminal.

---

Expected Result No errors are seen during execution of the provided commands.

---

Actual  
Result

No expected result is provided.

Executing the final command returned:

```
bash: notebooks/.user_setups: No such file or directory
```

This is an obvious typo in the test script. Correcting the command to

```
echo "setup -j -r ~/obs_lsst" >> ~/notebooks/.user_setups
```

caused it to execute successfully.

---

Status Pass

---

3 Description Create a new "LSST" notebook.

Import the standard libraries required for the rest of this test:

```
import os
import lsst.afw.display as afwDisplay
from lsst.daf.persistence import Butler
from lsst.ip.isr import IsrTask
from firefly_client import FireflyClient
from IPython.display import IFrame
```

and execute the cell.

---

Expected  
Result Nothing is printed.

---

Actual  
Result The imports completed successfully.

---

Status Pass

---

4      Description    Create a Data Butler client, and use it to retrieve the data which will be used for this test.

```
butler = Butler($REPOSITORY_PATH)
raw = butler.get("raw", visit=$VISIT_ID, detector=2)
bias = butler.get("bias", visit=$VISIT_ID, detector=2)
```

-----  
 Expected    Nothing is printed.  
 Result

-----  
 Actual      The commands were executed successfully.  
 Result

-----  
 Status      Pass  
 -----

5      Description    Initialize the Firefly display system:

```
my_channel = '{}_test_channel'.format(os.environ['USER'])
server = 'https://lsst-lspdev.ncsa.illinois.edu'
ff='{}'/firefly/slate.html?_wsch={}'.format(server, my_channel)
IFrame(ff,800,600)
afwDisplay.setDefaultBackend('firefly')
afw_display = afwDisplay.getDisplay(frame=1,
                                   name=my_channel)
```

Click on the link provided after executing the above.

-----  
 Expected    A Firefly window is shown.  
 Result

-----  
 Actual      Firefly window appears.  
 Result

-----  
 Status      Pass  
 -----

6      Description    Display the raw image data in the Firefly window:

```
afw_display.mtv(raw)
```

-----  
 Expected Result Raw image data is displayed.

-----  
 Actual Result Image data was seen in the Firefly window.

-----  
 Status Pass

---

7 Description Configure and run an Instrument Signature Removal (ISR) task on the raw data. Most corrections are disabled for simplicity. but the bias frame is applied.

```

isr_config = IsrTask.ConfigClass()
isr_config.doDark=False
isr_config.doFlat=False
isr_config.doFringe=False
isr_config.doDefect=False
isr_config.doAddDistortionModel=False
isr_config.doLinearize=False
isr = IsrTask(config=isr_config)
result = isr.run(raw, bias=bias)
  
```

-----  
 Expected Result Nothing is printed.

-----  
 Actual Result Commands successfully executed.

-----  
 Status Pass

---

8 Description Display the corrected image data in the Firefly window:

```

afw_display.mtv(result.exposure)
  
```

-----  
 Expected Result Processed (trimmed, bias-subtracted) image data is displayed.

-----  
 Actual Result Processed data was displayed in the Firefly window.

---

Status Pass

---

### 5.1.3.2 Test Case LVV-T374

Open *LW-T374* test case in Jira.

This test will check:

- That raw Camera test data is available on a filesystem in the LSST Data Facility;
- That raw Camera test data can be ingested and made available through the Data Management I/O abstraction (the “Data Butler”).

#### **Preconditions:**

Appropriate raw data from Camera test systems must be available on a filesystem within the LSST Data Facility. This test data is assumed to include visit 258334666 (hereafter referred to as \$VISIT\_ID) from RTM (Raft Tower Module) 007 for the purposes of this test, but other, equivalent, may be substituted.

At time of writing, suitable data may be found on the GPFS filesystem at /project/bootcamp/data/LCA-11021\_RTM-007/7086/fe55\_raft\_acq/v0/44981. In future, as data transport procedures to the Data Facility become more streamlined and formalised, this data may be moved elsewhere or made available through some other system. Throughout the test script, we use the string “\$INPUT\_DATA\_DIR” as an alias for “/project/bootcamp/data/LCA-11021\_RTM-007/7086/fe55\_raft\_acq/v0/44981” or wherever this data has been moved to.

Execution status: **Pass**

Final comment:

## Detailed step results:

Step	Description, Results and Status	
1	<b>Description</b>	Connect to the Notebook Aspect of the Science Platform following the instructions at <a href="https://nb.lsst.io/">https://nb.lsst.io/</a> . Log in, and "spawn" a new machine with image "Weekly 2018_45" and size "large".
	<b>Expected Result</b>	The JupyterLab environment appears.
	<b>Actual Result</b>	<ul style="list-style-type: none"> <li>The test was carried out at the University of Washington, which has a Data Facility firewall exemption, so instructions at <a href="https://nb.lsst.io/getting-started/logging-in.html">https://nb.lsst.io/getting-started/logging-in.html</a> describing installing, configuring and connecting with a VPN client were skipped.</li> <li>The "Weekly 2018_45" image was not listed — only the two most recent weeklies are called out explicitly. However, "w201845" was chosen as a close analog.</li> <li>The JupyterLab environment appeared as expected.</li> </ul>
	<b>Status</b>	Pass
2	<b>Description</b>	Create a terminal session. Use it to set up the LSST tools, then download and build version 5c12b06e6 of obs_lsst:
		<pre> \$ source /opt/lsst/software/stack/loadLSST.bash \$ setup lsst_distrib \$ git clone https://github.com/lsst/obs_lsst.git \$ cd obs_lsst \$ git checkout 5c12b06e6 \$ setup -k -r . \$ scons                     </pre>
	<b>Expected Result</b>	No errors are seen during execution of the provided commands.
	<b>Actual Result</b>	Commands were executed with no errors. Last line printed was "scons: done building targets".
	<b>Status</b>	Pass



3 Description Ingest RTM-007 test data by executing the following commands:

```

OUTPUT_REPO_DIR=$OUTPUT_DATA_DIR
INPUT_DATA_DIR=$INPUT_DATA_DIR
mkdir -p $OUTPUT_REPO_DIR
echo "lsst.obs.lsst.ts8.Ts8Mapper" > $OUTPUT_REPO_DIR/_mapper
ingestImages.py $OUTPUT_REPO_DIR $INPUT_DATA_DIR/*.fits
constructBias.py $OUTPUT_REPO_DIR -rerun calibs -id imageType=BIAS -batch-type
smp -cores 4
    ingestCalibs.py    $OUTPUT_REPO_DIR    -calibType    bias    $OUT-
PUT_REPO_DIR/rerun/calibs/bias/*.fits    -validity    9999    -output    $OUT-
PUT_REPO_DIR/CALIB -mode=link
    
```

Where:

\$OUTPUT\_DATA\_DIR is some location on shared storage to which the user has write permission;

\$INPUT\_DATA\_DIR is defined in the test case description.

---

Expected Result Many status messages are logged to screen, and the command exits with status 0.

---

Actual Result

- A number of "WARN" messages were logged during constructBias.py. These are not important for the correct execution of the test, but should be suppressed or included in the test description.
- All commands executed successfully.

---

Status Pass

4 Description Demonstrate that raw and bias data for visit \$VISIT\_ID have been made available in the repository. Load a Python interpreter (run "python") and execute the following:

```

from lsst.daf.persistence import Butler
visit_id = $VISIT_ID
b = Butler($OUTPUT_DATA_DIR)
b.get("raw", visit=visit_id, detector=2)
b.get("bias", visit=visit_id, detector=2)
    
```

Expected Result Each call to `b.get()` returns an instance of an `ExposureF` object. Warnings about lack of dark-time or WCS information may be ignored.

---

Actual Result

```
$ python
Python 3.6.6 |Anaconda, Inc.| (default, Jun 28 2018, 17:14:51)
[GCC 7.2.0] on linux
Type "help", "copyright", "credits" or "license" for more information.
>>> from lsst.daf.persistence import Butler
>>> visit_id = 258334666
>>> b = Butler('/scratch/swinbank/lm50307')
CameraMapper INFO: Loading exposure registry from /scratch/swin-
bank/lm50307/registry.sqlite3
CameraMapper INFO: Loading calib registry from /scratch/swin-
bank/lm50307/CALIB/calibRegistry.sqlite3
>>> b.get("raw", visit=visit_id, detector=2)
CameraMapper WARN: Key="DARKTIME" not in metadata
CameraMapper INFO: darkTime is NaN/Inf; using exposureTime
LsstCamMapper WARN: Unable to set WCS for DataId(initialdata={'visit': 258334666,
'detector': 2}, tag=set()) from header as RATEL/DECTEL/ROTANGLE are unavailable
<lsst.afw.image.exposure.exposure.ExposureF object at 0x7ff07235ea78>
>>> b.get("bias", visit=visit_id, detector=2)
<lsst.afw.image.exposure.exposure.ExposureF object at 0x7ff09a8b88f0>
>>>
```

---

Status Pass

---